

Multi-Zone Series Mini Split



SIZE		18,000BTU	27,000BTU	36,000BTU	48,000BTU
MODEL NUMBER		18EVANVMO	27EVANVMO	36EVANVMO	48EVANVMO
Power supply		208-230v 60hz, 1 ph	208-230v 60hz, 1 ph	208-230v 60hz, 1 ph	208-230v 60hz, 1 ph
Rated Current Cooling	A	2.7	4.2	5.95	8.4
Rated Current Heating	A	3.6	4.2	7.4	10.9
PERFORMANCE		Available on Request			
Cooling Capacity	Btu/h	18000	28000	36000	48000
Heating Capacity	Btu/h	19000	28000	36000	48000
SEER/EER		22.5/12.5	23/12.5	22.5/11.5	22.5/12.5
HSPF/COP		10.3/3.6	10.3/3.9	10.2/3.4	10.2/3.6
OUTDOOR UNIT					
Max Fuse	A	25	35	45	50
Airflow	cfm	1390	2130	2130	4500
Compressor Type		rotary	rotary	rotary	rotary
Sound Pressure Level	db(a)	62.4	63.4	62.3	64
Unit Dimensions	in	33.27x14.29 x27.64	37.24x16.14 x31.89	37.24x16.14 x31.89	37.48x16.34 x52.48
Net/Gross Weight	lbs	105.8/114.6	149.9/160.9	156.5/167.5	223.8/255.1
Refrigerant/Charge	oz	r410a/70.5	r410a/98.8	r410a/105.8	r410a/162.3
Line Set Size	in	2 x 1/4" -3/8"	3 x 1/4" -3/8"	4x1/4"/3x3/8"+1x1/2"	5x1/4"/3x3/8"+2x1/2"
Max Line Run	ft	131	197	262	262
Max Elevation	ft	33	33	33	33
MCA	A	18	25	30	35
Energy Star					
Wire Size	16awg*4 stranded, unshielded				

Novair Heat Pumps, Inc.
300 Baig Blvd. Suite C4
Moncton, NB E1E 1C8
Tel. 506.382.3070
info@novairplus.com
www.novairplus.com

Project			Date	
Contractor		Submitted By		
Model	18,000BTU	27,000BTU	36,000BTU	48,000BTU
Qty				